UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/733,608	12/11/2003	Raja Bala	D/A1453	8506

25453   7590   07/31/2007
PATENT DOCUMENTATION CENTER
XEROX CORPORATION
100 CLINTON AVE., SOUTH, XEROX SQUARE, 20TH FLOOR
ROCHESTER, NY 14644

EXAMINER
CHENG, PETER L

ART UNIT	PAPER NUMBER
2625	

MAIL DATE	DELIVERY MODE
07/31/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

PTOL-90A (Rev. 04/07)

	Application No.	Applicant(s)
Office Action Summary	10/733,608	BALA, RAJA
	Examiner	Art Unit	
	Peter L. Cheng	2625	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE <u>3</u> MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☒ Responsive to communication(s) filed on *11 December 2003*.

2a)☐ This action is **FINAL**.   2b)☒ This action is non-final.

3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4)☒ Claim(s) *1-22* is/are pending in the application.

    4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5)☐ Claim(s) _____ is/are allowed.

6)☒ Claim(s) *1-22* is/are rejected.

7)☐ Claim(s) _____ is/are objected to.

8)☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9)☒ The specification is objected to by the Examiner.

10)☒ The drawing(s) filed on *11 December 2003* is/are: a)☐ accepted or b)☒ objected to by the Examiner.

    Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

    Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12)☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

    a)☐ All   b)☐ Some * c)☐ None of:

      1.☐ Certified copies of the priority documents have been received.

      2.☐ Certified copies of the priority documents have been received in Application No. _____.

      3.☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

    * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) ☒ Notice of References Cited (PTO-892)

2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3) ☒ Information Disclosure Statement(s) (PTO/SB/08)
    Paper No(s)/Mail Date *12/11/2003*.

4) ☐ Interview Summary (PTO-413)
    Paper No(s)/Mail Date. _____ .

5) ☐ Notice of Informal Patent Application

6) ☐ Other: _____ .

DETAILED ACTION

Drawings

1.   The drawings are objected to because:

- **Fig. 1:** to be consistent with **equation 2 [page 2, paragraph 6]**, suggest labeling the horizontal axis as L_{in} and the vertical axis as $L_{comp1}(L_{in})]$;

- **Fig. 2:** similarly, suggest labeling the horizontal axis as L_{in} and the vertical axis as $L_{comp2}(L_{in})]$;

- **Fig. 3:** to be consistent with the specification **[page 5, paragraph 20, line 4]**, suggest labeling input image chrominance values C_{1in} and $C_{2in,}]$;

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency.

Additional replacement sheets may be necessary to show the renumbering of the

remaining figures. Each drawing sheet submitted after the filing date of an application

must be labeled in the top margin as either "Replacement Sheet" or "New Sheet"

pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the

applicant will be notified and informed of any required corrective action in the next Office

action. The objection to the drawings will not be held in abeyance.

Specification

2.   The disclosure is objected to because of the following informalities:

- **Page 2, paragraph 6, line 4:** since the "inverse-gamma-inverse" function in

  Fig. 1 is shown as both a partially dashed curved line and partially solid

  curved line, suggest either rephrasing **Function f(), shown as the dashed**

  curved line ... as **Function f(L_{in}), shown as the curved line ...** or providing

  updated Figs. 1 and 2 that show the entire inverse-gamma-inverse function

  as a "dashed" line;

- **Page 6, paragraph 23, line 1:** assume applicant intended to cite **Referring**

  to equation (3) ... instead of **Referring to equation (2) ...** since equation 3

  shows that L_{comp2} predominates when the blending function is near zero;

- **Page 7, paragraph 27, line 5:** similarly, assume applicant intended to cite

  may be substituted in equation (3) ... instead of **may be substituted in**

  equation (2) ... since equation 3 calculates L_{out};

Appropriate correction is required.

Claim Rejections - 35 USC § 102

3.   The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that

form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

4.   Claims 1, 2, 8, 12, 13 19 are rejected under 35 U.S.C. 102(b) as being

anticipated by **KASSON [US Patent 5,450,216]**.

As for claims 1, 12, KASSON teaches a gamut mapping system ["method and system

for gamut-mapping color images from device-independent form to device-dependent

gamut"; **Abstract, lines 1 - 3]**, comprising:

an image processing module for transforming an input image into a

luminance component L_{in} and chrominance components, C_1 and C_2 [Fig. 7A

"extract L" step **58** and "extract C1, C2" step **60;** "the source image is produced

at step 56 in the (L, C1, C2) color space and the luminance and chrominance

components [are] extracted at steps 58 and 60, respectively"; **col. 11, lines 8 -**

11];

a spatial low pass filter, responsive to L_{in} for outputting a filtered

luminance component L_f [Fig. 7A "low-pass filter" step **70;** from equation 1, [L_D

$= L_I - (L'_I - L'_{CM}) * W$] (**col. 11, line 35**), L_I corresponds to L_{in} and L'_I corresponds

to L_f]

and a luminance compression module responsive to L_f and L_{in} for

outputting a compressed luminance signal L_{out} that is within an achievable

luminance range of an output device [Fig. 7A "display luminance output" step

80 produces a compressed luminance signal, L_D, according to equation 1 (**col.**

11, line 35); L_D corresponds to L_{out}.

KASSON further cites, "Most pixels that fall outside of the output display gamut

("out-gamut") are mapped into the gamut using a combination of *spatial filtering*

and *non-linear compression* embodied as weighted compensation of both

luminance and chrominance image components"; **col. 4, lines 32 - 37].**

Regarding claims 2, 13, KASSON further teaches the system of claim 1,

wherein the luminance compression module combines two compression

functions $L_{comp1}(L_{in})$ and $L_{comp2}(L_{in})$ via a blending function $\alpha(L_f)$ [The

blending function corresponds to W in equation 1 [$L_D = L_I - (L'_I - L'_{CM}) * W$] (**col.**

11, line 35) which varies the overall proportion of a first function L_I with respect to

another function $(L'_I - L'_{CM})$ which are both based on the input luminance and

together, are used to derive a compressed luminance value].

Regarding claims 8, 19, KASSON further teaches the system of claim 1,

wherein the luminance compression module, responsive to the

chrominance components C_1 and C_2, in addition to L_f and L_{in}, for outputting

a compressed luminance signal L_{out} that is within the achievable luminance

range of an output device [KASSON further teaches a method of adjusting the

chrominance values so that the resulting display image luminance and

chrominance values are within the gamut of the display image device; see **Fig.**

7C "display image (L_D, C_{D1}, C_{D2}) step **106;** "Fig. 7C provides a simple illustration

of a preferred embodiment of the chrominance correction step"; **col. 12, lines 33**

– 34. The results are "two display chrominance components (C_{D1}, C_{D2}), which

represents the remaining information necessary to construct the final gamut-

mapped display image at 106"; **co. 12, lines 40 – 44**].

Claim Rejections - 35 USC § 103

5.   The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set
> forth in section 102 of this title, if the differences between the subject matter sought to be patented and
> the prior art are such that the subject matter as a whole would have been obvious at the time the
> invention was made to a person having ordinary skill in the art to which said subject matter pertains.
> Patentability shall not be negatived by the manner in which the invention was made.

6.   The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148

USPQ 459 (1966), that are applied for establishing a background for determining

obviousness under 35 U.S.C. 103(a) are summarized as follows:

1.   Determining the scope and contents of the prior art.
2.   Ascertaining the differences between the prior art and the claims at issue.
3.   Resolving the level of ordinary skill in the pertinent art.
4.   Considering objective evidence present in the application indicating
        obviousness or nonobviousness.

7.   Claims 2 - 7, 13 - 18 are rejected under 35 U.S.C. 103(a) as being unpatentable

over **KASSON [US Patent 5,450,216]** in view of **ESCHBACH [US Patent 6,342,951**

B1] and **LEE [US Patent 5,012,333]**.

Regarding claims 2, 13,

> **wherein the luminance compression module combines two compression**
>
> **functions $L_{comp1}(L_{in})$ and $L_{comp2}(L_{in})$ via a blending function $\alpha(L_f)$.**

and claims 3, 14,

wherein L_{out} **is computed according to the relationship**

$$L_{out} = \alpha(L_f)\,L_{comp1}(L_{in}) + (1 - \alpha(L_f))\,L_{comp2}(L_{in}).$$

ESCHBACH teaches the same inverse-gamma-inverse luminance compression function, $L_{comp1}(L_{in})$, [see equations for "new values" of R, G and B; **col. 7, lines 40 - 44**]. ESCHBACH further teaches that "the input pixel values IPV can be defined in terms of a luminance value Y and two chrominance values C1, C2 (e.g., CIELAB). In such case, the above-described gamma processing is applied only to the luminance component Y"; **col. 7, lines 64 – 67.** "Thereafter, a step or means S2 performs the ... centroid gamut clipping operation *or other suitable clipping operation* so that any out-of-gamut output pixels values ... are mapped into the output gamut"; **col. 6, lines 9 – 13.**

Per applicant's written description, function $L_{comp2}(L_{in})$ "softly compresses the low luminance region, and preserves shadow detail in the lightness range 0 – L_{black} ... at the expense of contrast in the dark and midtone regions"; **page 3, paragraph 7, lines 2 – 5.** Applicant further teaches that functions $L_{comp1}(L_{in})$ and $L_{comp2}(L_{in})$ "exemplify the *classic trade-off* between preservation of contrast and shadow detail"; **page 3, paragraph 7, lines 5 – 6.**

From the teachings of ESCHBACH and those of the applicant, it would have been obvious to one of ordinary skill in the art at the time the invention was made to process

an image by combining functions similar to $L_{comp1}(L_{in})$ and $L_{comp2}(L_{in})$ so as to preserve

shadow detail in low luminance regions and preserve contrast in the midtone regions.

LEE discloses a method of interactively adjusting the dynamic range for printing digital

images. LEE's system enables one to adjust the luminance according to whether the

input luminance is within a shadow, midtone or highlight range. The adjustment curve

shown in **Fig. 6** is a "piecewise linear curve, usually having three segments"; **col. 10,**

lines 42 – 44. The dynamic range adjustment function **[Fig. 3** block **140]** takes, as

input, a low-pass filtered luminance signal **["The luminance image signals are directed**

to ... a low pass (Gaussian) filter" which "provides a second output to a dynamic range

adjustment curve block 140"; **col. 5, lines 43 - 48]** and produces, according to the

piecewise linear curve in Fig. 6, a corrected luminance value.

LEE teaches that the corrected luminance is a function of a low-pass filtered input

luminance value, and that correction is typically performed in one of three regions –

shadow, midtone or highlight.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the

invention was made to combine the teachings of LEE with those of ESCHBACH,

KASSON and of the applicant's to combine $L_{comp1}(L_{in})$ and $L_{comp2}(L_{in})$ in such a way so

that $L_{comp1}(L_{in})$ is used in the shadow region, $L_{comp2}(L_{in})$ is used in the highlight region,

and a combination of both are used in the midtone region. Weighted averaging is a

well-known method of combining functions to smoothly transition from one region (i.e.,
the shadow region) to another region (i.e., the highlight region).

Regarding claims 4, 15,

> **wherein $\alpha(L_f)$ is a piecewise linear function,**
>
> **determined by two breakpoints, B_1 and B_2.**

and claims 7, 18,

> **$\alpha(L_f) = 0$ for values of L_f between 0 and B_1;**
>
> **$\alpha(L_f)$ increases linearly from 0 to 1 for values of L_f from B_1 to B_2;**
>
> **and $\alpha(L_f) = 1$ for values of L_f between B_2 and L_{max},**
>
> **where L_{max} is a maximum luminance achievable by the output device.**

As noted above, LEE teaches luminance correction in one of three regions – shadow,
midtone and highlight, and a dynamic range adjustment curve which contains three
piecewise linear sections, and therefore, two breakpoints.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the
invention was made to combine the teachings of LEE with those of ESCHBACH,
KASSON and of the applicant's to create a piecewise linear weighting function that
combines $L_{comp1}(L_{in})$ and $L_{comp2}(L_{in})$ in such a way so that $L_{comp1}(L_{in})$ is used in the
shadow region (i.e., **$\alpha(L_f) = 0$ for values of L_f between 0 and B_1**), $L_{comp2}(L_{in})$ is used in
the highlight region (**$\alpha(L_f) = 1$ for values of L_f between B_2 and L_{max}**), and a

combination of both are used in the midtone region (i.e., **$\alpha(L_f)$ increases linearly from**

0 to 1 for values of L_f from B_1 to B_2). Weighted averaging is a well-known method of

combining functions to smoothly transition from one region (i.e., the shadow region) to

another region (i.e., the highlight region).

Regarding claims 5, 16,

> **wherein function L_{comp1} is optimized for preserving overall image contrast.**

and claims 6, 17,

> **wherein function L_{comp2} is optimized for preserving shadow detail.**

As noted above, applicant teaches that functions **$L_{comp1}(L_{in})$** and **$L_{comp2}(L_{in})$** "exemplify

the _classic trade-off_ between preservation of contrast and shadow detail"; **page 3,**

paragraph 7, lines 5 – 6. The existence of such curves is well known in the art.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the

invention was made to combine the teachings of LEE with those of ESCHBACH,

KASSON and of the applicant's to create a piecewise linear weighting function that

combines **$L_{comp1}(L_{in})$** and **$L_{comp2}(L_{in})$** in such a way so that shadow detail is preserved in

low luminance areas and overall image contrast is preserved in midtone and highlight

areas.

8.   Claims 9, 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over

KASSON [US Patent 5,450,216] in view of **GRUZDEV [US Patent 6,868,179 B2]**.

Regarding claims 9, 20, KASSON does not specifically teach the system of claim 1,

wherein the low pass filter comprises a constant weight filter.

However, GRUZDEV discloses a method of correcting image saturation. GRUZDEV

teaches that a color component "may be smoothed by any method well known in the art,

for example, a Gaussian filter, and averaging filter or other low-pass filter"; **col. 5, lines**

60 – 62. A simple averaging filter over a specified number of input image pixels can be

considered a "constant weight" filter.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the

invention was made to have implemented the low-pass filter, as taught by KASSON,

with a "constant weight" filter since such a filter is simple to implement.

9.   Claims 10, 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over

KASSON [US Patent 5,450,216] in view of **MORONEY [US Patent Application**

2002/0186387 A1].

Regarding claims 10, 21, KASSON does not specifically teach the system of claim 1,

wherein the image is down-sampled prior to filtering and upsampled and

interpolated after filtering.

However, MORONEY teaches a method of correcting colors of an input image by

"locally modifying the input pixel values according to pixel neighborhoods" **[Abstract]**.

MORONEY discloses a method for generating a "tone mask through a low-pass filtering

operation"; **page 2, paragraph 23, lines 1 – 2.** MORONEY, like KASSON and in the

instant application, filters the luminance component of the color image. "The process

initially converts (at 205) the received color image to a monochrome image (i.e., an

image that only contains black and white pixels, or contains black, white, and gray

values)"; **page 2, paragraph 23, lines 3 – 6.** After "inverting the monochrome image"

[page 2, paragraph 24, lines 1 - 2], the process "decimates (at 215) the inverted

monochrome image. Some embodiments decimate this image by selecting every nth

(e.g., 20^{th}) horizontal and vertical pixel in this image …, and discarding the remaining

pixels"; **page 2, paragraph 24, lines 6 – 11.** This "decimation" is equivalent to "down-

sampling" the image.

Next, the process filters the image by performing "(at 220) a smoothing operation on

each pixel in the decimated, inverted, monochrome image"; **page 2, paragraph 25,**

lines 1 – 3.

After filtering, the process "upsamples and interpolates" by scaling "(at 225) the

smoothed, decimated, inverted, monochrome image back up to the resolution of the

original received image"; **page 2, paragraph 26, lines 1 – 3.**

It would have been obvious to one of ordinary skill in the art at the time the invention

was made to combine the teachings of MORONEY with those of KASSON to down-

sample the image data prior to filtering and up-sampling/interpolating after filtering so as

to reduce the computational time and load on the system.

10.   Claims 11, 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over

KASSON [US Patent 5,450,216] in view of **ESCHBACH [US Patent 6,342,951 B1].**

Regarding claims 11, 22, KASSON does not specifically teach the system of claim 1,

further comprising

> **a color correction module for transforming L_{out}, C_1 and C_2 to CMYK for**
>
> **printing.**

KASSON does teach that "many different display devices and printing devices can be

devised for color imaging, each represented by a different display gamut boundary"

[col. 6, lines 27 – 30] and that an ink-jet printer may use cyan, magenta, yellow and

black ink colors; **col. 6, lines 15 – 17.**

ESCHBACH teaches a method for mapping out-of-gamut colors into an output gamut,

such as a printer gamut. **Fig. 5** illustrates the production of "gamut clipped color" data

for a "CMYK" printer and the transformation of that data to CMYK for printing (see

"printer transformation" step **S3**). Although Fig. 5 illustrates the invention in RGB color

space, ESCHBACH teaches "that it is equally applicable to any other color space" **[col.**

5, lines 63 - 66] as in a luminance-chrominance CIELAB color space shown in Figs. 3

and 4; **col. 5, lines 23 - 26].**

It would have been obvious to one of ordinary skill in the art at the time the invention

was made to combine the teachings of ESCHBACH with those of KASSON to transform

the resulting luminance and chrominance values to a printer color space such as CMYK

when the desired target output device is a printer.

Conclusion

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Peter L. Cheng whose telephone number is 571-270-

3007. The examiner can normally be reached on MONDAY - FRIDAY, 8:30 AM - 6:00

PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, King Y. Poon can be reached on 571-272-7440. The fax phone number for

the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

plc

KING Y. POON
PRIMARY EXAMINER
Supervisory